



AP Series

Mobile Retail Poster






# **High Brightness**

Self-emitting LED, 4 times brightness of normal LCD poster









## **Multiple Applications**

Can display as Single screen display or coordinate with Multi-screens display.

## **Smart Group Control**



Change content via WIFI or USB Send programs through APP on cellphone IOS, Windows, Android systems available



Update content via internet; Monitor screen status via internet; Manage multiple posters on one single platform



	AP2.4	AP1.8
Pixel pitch(mm)	2.4	1.89
Frame size(mm)	592*1746*85	592*1746*85
Display size(mm)	576*1728	576*1728
Cabinet weight(kg)	28	32.5
Cabinet resolution	240*720	304*912
Brightness(nit)	1000	1000
Refresh rate(Hz)	> 2400	> 2880
Gray Scale(bit)	16	16
Power consumption	554/185	630/210
Scan Rate	1/30	1/38
Viewing Angle°	160/140	150/115
Certificate	CCC/CE-TUV/ETL-FCC	CCC/CE-TUV/ETL-FCC
Maintainence	Module front service, other components rear service	

<sup>★</sup> Shenzhen Absen Optoelectronic Co., Ltd. reserves the right to modify product design, specifications, and parameters without further notice.

Photos are used for illustration purpose only as products may differ from these photos. All rights reserved by Shenzhen Absen Optoelectronic Co., Ltd.

### Multiple installations







Ground fix




Hanging installation



Coordination with multiple screens



Creative installation



### Shenzhen Absen Optoelectronic Co.,Ltd

18-20F Building 3A, Cloud Park, Bantian Huawei Base, Longgang District Shenzhen, 518129, P.R.China T: +86-755-89747399 E: absen@absen.com F: +86-755-89747599 W: www.absen.com

### Absen Inc.

### Absen GmbH